

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	333	372/102.ccls. and (lock\$3 and screw) (CURVATURE NEAR3 (ADJUST\$4 OR TUN\$4)) SAmE (MIRROR OR GRATING)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/01/10 09:48 2005/01/31 14:19
L2	120	1 and resona\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 14:19
L3	67522	(ADJUST\$4 OR TUN\$4) SAmE (MIRROR OR GRATING)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 14:19
L4	10094	3 and resona\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 14:20
L5	7451	3 and resona\$4 and wavelength\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 14:20
L6	3450	3 and resona\$4 and wavelength\$1 with select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 14:21
L7	2	6 and 372/14.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 14:21
L8	5	5 and 372/14.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 14:22
L9	698	5 and 372/20.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 14:23
L10	494	6 and 372/20.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 14:40
L11	57	10 and bend\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 14:53

L12	4	6 and 372/29.022.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 14:44
L13	30	6 and 372/33.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 14:54
L14	1	13 and bend\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 14:54
L15	171	6 and 372/92.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 14:58
L16	20	15 and bend\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 14:59
L17	146	6 and 372/98.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 15:01
L18	17	17 and bend\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 15:01
L19	194	6 and 372/99.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 15:03
L20	35	19 and bend\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 15:03
L21	270	6 and 372/102.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 15:06
L22	48	21 and bend\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 15:06
L23	54	6 and 372/107.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 15:14

L24	14	23 and bend\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 15:06
L25	8	6 and 372/109.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 15:15
L26	0	6 and 359/229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 15:15
S1	617	372/102.ccls.	US-PGPUB; USPAT	OR	OFF	2004/02/10 17:15
S2	405	372/102.ccls. and (deform\$6 or adjust\$6 or bend\$3)	US-PGPUB; USPAT	OR	OFF	2003/01/10 09:52
S3	34	372/102.ccls. and (deform\$6)	US-PGPUB; USPAT	OR	OFF	2003/01/09 18:00
S4	2	((("5970082") or ("6094448"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2002/12/03 12:32
S5	101	grating and curvature and (stepper near motor)	US-PGPUB; USPAT	OR	OFF	2003/01/09 18:00
S6	19	(grating and curvature and (stepper near motor)) and "372"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2003/01/09 18:08
S7	7	(grating and curvature and (stepper near motor)) and bend\$3 and lock\$3	US-PGPUB; USPAT	OR	OFF	2003/01/09 18:15
S8	40	(bend\$3 near mechanism) and (lock\$3 near mechanism)	US-PGPUB; USPAT	OR	OFF	2003/01/09 18:17
S9	0	((bend\$3 near mechanism) and (lock\$3 near mechanism)) and wavelength	US-PGPUB; USPAT	OR	OFF	2003/01/09 18:16
S10	9	((bend\$3 near mechanism) and (lock\$3 near mechanism)) and laser	US-PGPUB; USPAT	OR	OFF	2003/01/09 18:17
S11	18	(bend\$3 near mechanism) and grating	US-PGPUB; USPAT	OR	OFF	2003/01/09 18:18
S12	83	372/102.ccls. and (deform\$6 or adjust\$6 or bend\$3) and curvature	US-PGPUB; USPAT	OR	OFF	2003/01/10 09:20
S13	0	372/102.ccls. and (lock\$3 near screw)	US-PGPUB; USPAT	OR	OFF	2003/01/10 09:48
S14	170	(wavelength near select\$6) and (deform\$6 or adjust\$6 or bend\$3) and curvature and wavefront	US-PGPUB; USPAT	OR	OFF	2003/01/10 09:55
S15	106	(wavelength near select\$6) and (deform\$6 or bend\$3) and curvature and wavefront	US-PGPUB; USPAT	OR	OFF	2003/01/10 09:56

S16	0	((wavelength near select\$6) and (deform\$6 or bend\$3) and curvature and wavefront) and lock\$ near screw	US-PGPUB; USPAT	OR	OFF	2003/01/10 09:58
S17	0	((wavelength near select\$6) and (deform\$6 or bend\$3) and curvature and wavefront) and lock\$6 near screw	US-PGPUB; USPAT	OR	OFF	2003/01/10 09:58
S18	6	((wavelength near select\$6) and (deform\$6 or bend\$3) and curvature and wavefront) and lock\$6 and screw	US-PGPUB; USPAT	OR	OFF	2003/01/10 10:20
S19	4307	lock\$6 and stepper near motor	US-PGPUB; USPAT	OR	OFF	2003/01/10 10:23
S20	30	(lock\$6 and stepper near motor) and "372"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2003/01/10 10:21
S21	18	lock\$6 near stepper near motor	US-PGPUB; USPAT	OR	OFF	2003/01/10 10:27
S22	60	(line near3 narrow\$3) and adjust\$5 near3 curvature	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/09 11:43
S23	60	(line near3 narrow\$3) and (adjust\$5 near3 curvature)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/09 15:56
S24	18	(line near3 narrow\$3) and (adjust\$5 near3 curvature) and lock\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/09 11:44
S25	15	(cholesteric near liquid near crystal) and "372"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/09 15:58
S26	524	372/87.ccls.	US-PGPUB; USPAT	OR	OFF	2003/07/10 11:45
S27	65	372/87.ccls. and electrode near3 tube	US-PGPUB; USPAT	OR	OFF	2003/07/10 13:22
S28	347	coaxial\$3 near3 electrode near3 tube	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/10 12:48
S29	94	(coaxial\$3 near3 electrode near3 tube) and cool\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/10 12:48
S30	41	372/55.ccls. and electrode near3 tube	US-PGPUB; USPAT	OR	OFF	2003/07/10 13:03
S31	28	372/34.ccls. and electrode near3 tube	US-PGPUB; USPAT	OR	OFF	2003/07/10 13:23

S32	28	372/34.ccls. and electrode near3 tube	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/10 13:24
S33	16	372/35.ccls. and electrode near3 tube	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/10 13:27
S34	30	372/88.ccls. and electrode near3 tube	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/10 13:30
S35	16	372/38.05.ccls. and electrode near3 tube	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/10 13:31
S36	350	(lock\$ near screw) and curvature and bend\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/12 11:51
S37	38	((lock\$ near screw) and curvature and bend\$3) and laser	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/12 11:55
S38	1835	bending near mechanism	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/12 12:27
S39	18	(bending near mechanism) and (curvature near (mirror or grating))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/12 11:56
S40	14	((bending near mechanism) and (lock\$3 near mechanism)) and curvature	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/12 12:27
S41	48	(bending near mechanism) and (lock\$3 near mechanism)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/12 12:36
S42	9	(bending near mechanism) and (mirror or grating) and wavefront	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/12 12:47
S43	401	(bending) and (mirror or grating) and wavefront	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/12 12:47

S44	219	(bending) and (mirror or grating) and wavefront and curvature	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/12 12:47
S45	213	(bending) and (mirror or grating) and wavefront and curvature and (light or laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/12 12:48
S46	41	((bending) and (mirror or grating) and wavefront and curvature and (light or laser)) and lock\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/12 12:50
S47	58	((bending) and (mirror or grating) and wavefront and curvature and (light or laser)) and secur\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/12 13:04
S48	62	(manual\$3 near3 bend\$5) and laser and curvature	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/07/12 13:05
S49	60	((CURVATURE NEAR3 (ADJUST\$4 OR TUN\$4)) SAME (MIRROR OR GRATING)) AND "372"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/02/10 17:51
S50	0	((CURVATURE NEAR3 (ADJUST\$4 OR TUN\$4)) SAME (MIRROR OR GRATING)) AND LOCK\$4 NEAR3 FIX\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/02/10 17:52
S51	64	((CURVATURE NEAR3 (ADJUST\$4 OR TUN\$4)) SAME (MIRROR OR GRATING)) AND LOCK\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/02/10 17:52
S52	730	372/33.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/07/29 14:44
S53	2	372/33.ccls. and wavelength near3 select\$3 and (deform\$4 or bend\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/07/29 14:38
S54	64	372/33.ccls. and (deform\$4 or bend\$3 or reflex)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/07/29 14:44
S55	1407	372/92.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/07/29 15:01
S56	128	372/92.ccls. and (deform\$4 or bend\$3 or reflex)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/07/29 15:01
S57	711	372/98.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/07/29 15:07

S58	94	372/98.ccls. and (deform\$4 or bend\$3 or reflex)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/07/29 15:07
S59	1147	372/99.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/07/29 15:08
S60	94	(372/98.ccls. and (deform\$4 or bend\$3 or reflex)) and (deform\$4 or bend\$3 or reflex)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/07/29 15:08
S61	0	((372/98.ccls. and (deform\$4 or bend\$3 or reflex)) and (deform\$4 or bend\$3 or reflex)) not (372/98.ccls. and (deform\$4 or bend\$3 or reflex))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/07/29 15:07
S62	765	372/102.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/07/29 15:13
S63	105	372/102.ccls. and (deform\$4 or bend\$3 or reflex)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/07/29 15:13
S64	759	372/107.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/07/29 15:38
S65	169	372/107.ccls. and (deform\$4 or bend\$3 or reflex)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/07/29 15:38
S66	163	(372/107.ccls. and (deform\$4 or bend\$3 or reflex)) not (372/102.ccls. and (deform\$4 or bend\$3 or reflex))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/07/29 15:14
S67	381	372/109.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/07/29 15:38
S68	37	372/109.ccls. and (deform\$4 or bend\$3 or reflex)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/07/29 15:40
S69	608	359/224.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/07/29 15:40
S70	371	359/224.ccls. and (deform\$4 or bend\$3 or reflex)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/07/29 15:41
S71	105	(359/224.ccls. and (deform\$4 or bend\$3 or reflex)) and wavelength	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/07/29 15:41
S72	1	("4022523").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/07/30 11:02
S73	1	("6212212").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/07/30 11:02

S74	0	("curvaturenear3wavefrontandincident near3beam").PN.	USPAT; USOCR	OR	OFF	2004/08/09 07:51
S75	141	curvature near3 wavefront and incident near3 beam	USPAT	OR	OFF	2004/08/09 07:51
S76	57	((curvature near3 wavefront) same (incident near3 beam))	USPAT	OR	OFF	2004/08/09 07:57
S77	0	vernier near3 lock\$3 near3 mirror	USPAT	OR	OFF	2004/08/09 08:01
S78	0	vernier near3 lock\$3 near3 curvature	USPAT	OR	OFF	2004/08/09 08:01
S79	77	vernier near3 lock\$3	USPAT	OR	OFF	2004/08/09 08:33
S80	1	((vernier near3 lock\$3) same ((adjust\$8 or turning) near3 knob))	USPAT	OR	OFF	2004/08/09 08:37
S81	1	((vernier near3 lock\$3) same ((adjust\$8 or turning) near3 knob))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/09 08:37
S82	2	((vernier near3 screw) same ((adjust\$8 or turning) near3 knob)) and lock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/09 08:40
S83	2	(vernier near3 screw near3 lock\$3) same knob	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/09 08:41
S84	3	(vernier near3 screw) same (knob near3 lock\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/09 08:44
S85	1	(vernier near3 screw) same (knob near3 detent)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/09 08:44